

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	("5802058" "5878128" "6141755").pn.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/27 15:21
S2	1	"20020188865".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/03 18:09
S8	221	inter and node with communicat\$3 same key	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/27 15:26
S9	1	inter and node with communicat\$3 same key and 713/171.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/27 15:26
S10	226	inter and node with communicat\$3 same key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/27 15:30
S11	31	inter and node with communicat\$3 same key and "713"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/27 15:26
S12	27	communicat\$3 same public adj key same verif\$6 near3 identificat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/27 15:32
S14	11	communicat\$3 same public adj key same verif\$6 near3 identificat\$3 and key\$1 near3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/27 15:37
S15	62	communicat\$3 same public adj key same key\$1 near3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/28 17:31
S18	1	channel adj state adj table and connection adj mechanism	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/28 17:32

S19	13	channel adj state adj table and node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/27 16:00
S20	6	channel adj state adj table and node and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/27 16:02
S21	123	public adj key\$1 near3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/27 16:03
S22	73	public adj key\$1 near3 table and ("713"/\$ "717"/\$ "380"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/27 16:04
S23	48	public adj key\$1 near3 table and ("713"/\$ "717"/\$ "380"/\$).ccls. and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/28 14:30
S24	2	CAPI same (send\$3 receiv\$3 key) and (380/278,279,283,284,285.ccls. 713/271.ccls.) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 16:59
S25	2	CAPI and ((send\$3 receiv\$3) near4 key) and (380/278,279,283,284, 285.ccls. 713/271.ccls.) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/28 14:33
S26	2	CAPI and (380/278,279,283,284, 285.ccls. 713/271.ccls.) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 09:58

S27	40	CAPI and encrypt\$3 and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/28 14:34
S28	20	CAPI and encrypt\$3 and ((send\$3 receiv\$3) near3 key) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 11:53
S29	22	CAPI and((send\$3 receiv\$3) near3 key) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/28 16:50
S30	18	CAPI and((send\$3 receiv\$3) near3 key) and key near3 (save saved saving stor\$3 keep\$) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/28 17:19
S34	18	((send\$3 receiv\$3) near3 key\$1) same ((stor\$3 and save saving saved keep\$) near2 key\$1)and (380/278,279,283,284,285.ccls. 713/271.ccls.) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/28 17:37
S35	0	SSL and((send\$3 receiv\$3) near3 key\$1) same ((stor\$3 and save saving saved keep\$) near2 key\$1)and (380/278,279,283,284, 285.ccls. 713/271.ccls.) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/28 17:38
S36	13	SSL and((send\$3 receiv\$3) near3 key\$1) same ((stor\$3 and save saving saved keep\$) near2 key\$1) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/28 17:38
S41	1	"20020188865".pn. and partition\$1	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/29 16:56
S42	1143	(id identification) with partition\$1	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/29 11:52

S44	500	(id identification) with partition\$1 and operating adj system	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/29 11:51
S45	514	(id identification) near3 partition\$1	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/29 11:52
S46	93	(id identification) near3 partition\$1 with (application\$2 program\$2 process\$2)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/29 11:52
S47	71	(id identification) near3 partition\$1 with (application\$2 program\$2 process\$2) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 15:53
S48	43	(id identification) near3 partition\$1 with (process\$2) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 12:00
S49	34	(id identification) with partition with (process) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 12:00
S50	22	(id identification) with partition with (process) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") not S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 15:52
S51	789	TCP/IP and session with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 15:53
S52	443	TCP/IP and session near4 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 15:53
S53	295	TCP/IP and session near4 table and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 15:53

S54	25	TCP/IP and session near4 table with process and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 15:58
S55	5	TCP/IP and session near4 table with (source and destination) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 16:02
S56	18	TCP/IP and session with table with (source and destination) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 16:04
S57	48	TCP/IP and (process processes) with table with (source and destination) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") not S55 not S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 16:05
S59	20	TCP/IP and (process processes) with table with (source and destination) with (port\$1 SAP service adj access ajd point) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") not S55 not S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 16:06
S61	397	Checkpoint same table	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/29 16:58
S62	4	Checkpoint same firewall same table	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/29 16:58
S63	57	firewall same table with port\$1 and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 17:29
S64	359	encryption and (key adj table)and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 17:30

S65	34	encryption and (key adj table).ab. and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 17:33
S67	2	encryption and (session\$1 with key adj table).ab. and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 17:32
S69	34	encryption and (key adj table).ab. and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") and key adj table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 17:35
S70	0	encryption and (key adj table with track\$3 with session) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 17:35
S71	5	encryption and (key adj table with track\$3) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 17:37
S72	99	encryption and (key adj table with information) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 17:41
S73	0	encryption and (key adj table with information with (quickly fast)) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 17:43
S74	3	encryption and (key adj table with information with retriev\$3) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 17:42

S75	66	encryption and (key adj table with (identif\$3 check\$3)) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 17:44
S76	0	encryption and (key adj table with (quickly fast)) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 17:43
S77	0	encryption and (key adj table with (improv\$3 enhanc\$3)) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 17:43
S78	35	(session adj key with key near4 table) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 18:07
S82	517	(hard adj1 drive partition) near3 (ID identification)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/29 19:02
S83	376	(hard adj1 drive partition) near3 (ID identification) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/30 09:59
S84	14	(hard adj1 drive partition) near3 (ID identification) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") and (("719" "717" "713" "709" "707")/\$.ccls. 705/5,8.ccls. 360/48,72.2.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/29 19:12
S85	151	(hard adj1 drive partition) near3 (ID identification) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") and ("719"/\$.ccls. "717"/\$.ccls. "713"/\$.ccls. "709"/\$.ccls. "707"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/29 19:13

S86	39	(hard adj1 drive partition) near3 (ID identification) same(session communication process) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") and ("719"/\$.ccls. "717"/\$.ccls. "713"/\$.ccls. "709"/\$.ccls. "707"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/29 19:14
S88	3867	multi\$5 adj3 operating adj system\$1	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/30 09:57
S89	589	multi\$5 adj3 operating adj system\$1 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/30 09:58
S90	481	multi\$5 adj3 operating adj system\$1 and "709"/\$.ccls. and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 09:58
S91	4	(hard adj1 drive partition) near3 (ID identification) same (multi\$5 adj3 operating adj system\$1) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/30 10:07
S92	7	("4747040" "5278973" "5828888" "5870554" "5960175" "6178503" "6330669").pn.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/30 10:03
S93	2	("4747040" "5278973" "5828888" "5870554" "5960175" "6178503" "6330669").pn. and partition\$1	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/30 10:03
S94	0	(hard adj1 drive partition) near3 (ID identification) same (dual adj3 operating adj system\$1) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/30 10:07
S96	4	(hard adj1 drive partition) near3 (information) same ((dual multi\$5) adj3 operating adj system\$1) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") not (S91 S92 S93)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/30 10:57
S97	9	(partition\$2 near key\$1 same encrypt\$3) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/30 11:00

S99	12	(partition\$2 near key\$1 and encrypt\$3) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") not S97	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/30 11:00
S10 4	0	transaction adj verification and send\$3 near4 copy near4 back and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:30
S10 5	0	(transaction adj verification).ti. and send\$3 near4 copy near4 back and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:30
S10 6	6	(verification verifies verified) same send\$3 near4 copy near4 back and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:45
S10 7	24	(verification verifies verified) same send\$3 near4 key near4 back and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:52
S10 8	442	(verification verifies verified authenticat\$3) same send\$3 near2 back and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls. "707"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:53
S10 9	315	(verification verifies verified authenticat\$3) same send\$3 near1 back and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls. "707"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:54
S11 0	273	(verification verifies verified authenticat\$3) same send\$3 adj1 back and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls. "707"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 12:48

S11 1	128	(verification verifies verified authenticat\$3) with send\$3 adj1 back and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls. "707"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:56
S11 2	1	(verification verifies verified authenticat\$3) with send\$3 near3 token near3 back and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls. "707"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 10:57
S11 3	2	(verification verifies verified authenticat\$3) with (send\$3 receiv\$) near3 token near3 back and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls. "707"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 11:27
S11 4	0	(verification verifies verified authenticat\$3) same (token with identification) same (send\$3 receiv\$) near3 token near3 back and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606") and ("709"/\$.ccls. "713"/\$.ccls. "380"/\$.ccls. "707"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 11:27
S11 5	0	(verification verifies verified authenticat\$3) same (token with identification) same (send\$3 receiv\$) near3 token near3 back and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 11:27
S11 6	694	(verification verifies verified authenticat\$3) same ((send\$3 receiv\$3) adj1 back) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 12:51
S11 7	186	(identificat\$3 id identity)same(verification verifies verified authenticat\$3) same ((send\$3 receiv\$3) adj1 back) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 13:54

S11 8	2	"5638446".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 13:06
S11 9	474	(return\$3 with cookie) and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 13:54
S12 0	104	(return\$3 with cookie)same authentica\$3 and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 13:55
S12 1	11	(send\$3 with cookie) same(return\$3 with cookie)same authentica\$3 and (@ad<"20010606" or @rlad<"20010606" or @prad<"20010606")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 13:55